



PRODUCT
CATALOG

2026

Expertly Crafted Windows & Doors

Since 1988 | Made in America 



- High Quality Windows & Doors
- Orders Delivered On Time & Complete
- Industry-leading Service





SCAN &
LEARN

QUICK-LINKS™

Scan the QR code for more product information.



1800 Series
Replacement
Flat Frame
Single Hung



3800 Series
New Construction
Flat Frame
Single Hung



3900 Series
New Construction
Brickmould Frame
Single Hung



5800 Series
New Construction
Flat Frame
Double Hung



5900 Series
New Construction
Brickmould Frame
Double Hung



6000 Series
Replacement/
New Construction
Casement



7400 Series
Replacement
Double Hung



9600 Series
Replacement
Double Hung



9900 Series
New Construction
Double Hung



4500 Series
New Construction
Heavy Duty
Sliding Patio Door



4700 Series
New Construction/
Replacement
Knock Down (KD)
Sliding Patio Door



CONTENTS

1800 Replacement Window.....	1
3900/38, 5900/58 New Construction Windows	2
3" Exterior Casing	3
Shape Windows & Dryer Vent	4
6000 Casement & 7400 Replacement Window	5
9600 Replacement / 9900 New Construction Windows	6
Window Options.....	8
4500 & 4700 Sliding Doors.....	10
Door Options	13
Patio Door Handing	14
Garden Window.....	14
Bay & Bow Windows	15
Energy Efficient Glass.....	16
Understanding the NFRC Label	17



Curb Appeal with Optional Window Casing



Shape Windows

PRODUCT DOCUMENTS



Scan the QR code for technical information
& helpful documents for homeowners,
builders & architects.

unitedwindowmfg.com/documents

The information presented in this catalog was checked for accuracy at the time it was published. United Window & Door is not responsible for errors or typos. United Window & Door reserves the right to update or change information pertaining to its products, services and warranties at any time. Products may differ slightly in style or color from images shown. Confirm information is up to date and correct with customer service prior to placing an order.

1800

See Page 8-9 for
Options & Colors

REPLACEMENT

Single Hung



Exterior



Interior

FEATURES

- 3 1/4" Frame Depth
- 3/4" Warm-Edge Insulated Glass
- Concealed Block & Tackle Balances
- Water-Repelling Sloped Sill
- LowE & Argon
- Flat 5/8" Grids or No Grids



Tilts In
for Easy
Cleaning



Limited
Lifetime
Warranty



Energy
Efficient
Product



Half
Fiberglass
Mesh Screen



Flat Frame



Hidden Sash Locks

Locks are not visible
from the exterior



Brilliance

Available in Solid
White Vinyl Only



1800 White Ext. / White Int. with Colonial Grids



1800 White Ext. / White Int. with Colonial Grids

3900

See Page 8-9 for
Options & Colors

Single Hung



Exterior



Interior

FEATURES

- 3 1/4" Frame Depth
- 3/4" Warm-Edge Insulated Glass
- Concealed Block & Tackle Balances
- Integrated Nail Fin with J-channel
- Water-repelling Sloped Sill
- 3/0 X 5/0 Meets Egress



Tilts In
for Easy
Cleaning




Limited
Lifetime
Warranty



Energy
Efficient
Product



Half
Fiberglass
Mesh Screen



Brickmould Frame



Flat Frame

3900

3800



3900 Black Ext. / Black Int. with Farmhouse Grid

5900

See Page 8-9 for
Options & Colors

Double Hung



Exterior



Interior

FEATURES

- 3 13/16" Frame Depth
- 3/4" Warm-Edge Insulated Glass
- Concealed Block & Tackle Balances
- Integrated Nail Fin with J-channel
- Water-repelling Sloped Sill
- 3/0 X 5/0 Meets Egress



Tilts In
for Easy
Cleaning




Limited
Lifetime
Warranty




Energy
Efficient
Product



Full or Half
Fiberglass
Mesh Screen



Brickmould Frame



Flat Frame

5900

5800



5900 Black Ext. / White Int. with Farmhouse Grid & Full Screen



3" Exterior Casing with Decorative Back Banding & Bull-nosed Sill (4)

INSTANT CURB APPEAL

Easily add character without adding to installation time, with pre-applied three inch casing.



Without 3" Exterior Casing

FEATURES

- Available in White, Beige or Onyx™ Black Coextrusion*
- Factory Applied for Easy Install

Add Casing to the Following New Construction Window Types

- 3900 Single Hung
- 5900 Double Hung
- 6000 Casement
- Picture
- Slider
- Select Shapes

Available in 4 Styles



1

Picture Frame



2

Picture Frame with Decorative Back Banding



3

Casing with Bull-nosed Sill



4


Casing with Decorative Back Banding & Bull-nosed Sill

*(1) Picture Frame is available in any color.



SHAPE WINDOWS

10 Year Warranty on Most Shapes
5 Year Warranty on Select Shapes



Dryer Vent Compatible Windows



7400 with
Obscure Glass
& Pre-drilled
Sash Insert

FEATURES

- Pre-drilled or Solid Sash Insert
- Available in All Window Series with a Slider Window Option, Picture Windows, Hoppers

Not available in shapes or doors.



Dryer Vent
Not Included



CTX (Extended Circle Top) with SDL Gothic Grids

6000

See Page 8-9 for
Options & Colors

Casement



Exterior



Interior

FEATURES

- 3 1/4" Frame Depth
- 3/4" Warm-Edge Insulated Glass (1" for blinds)
- Spring Loaded Fiberglass Mesh Screen for Easy Removal



Limited
Lifetime
Warranty



Energy
Efficient
Product



Full
Fiberglass
Mesh Screen

Hardware Colors



White



Black



Brushed
Nickel



Optional

3-in-1 Hardware

Consolidates the
window *operator*,
lock & *limiter* into
one mechanism.

Optional



Blinds Between the Glass*

*Screen needs to be removed to operate the blinds



6000 Onyx™ Black Ext. / Onyx™ Black Int.

7400

See Page 8-9 for
Options & Colors

Double Hung



Exterior



Interior

FEATURES

- 3 1/4" Frame Depth
- 3/4" Warm-Edge Insulated Glass
- Constant Force Balances
- Water-repelling Sloped Sill



Tilts In
for Easy
Cleaning



Limited
Lifetime
Warranty



Energy
Efficient
Product



Full or Half
Fiberglass
Mesh Screen



Optional

Hopper Style Window

Provides for ventilation
in most basement
applications.



7400 Onyx™ Black Ext. / White Int. with Colonial Grids

9600

Double Hung - Hybrid



Exterior



Interior

FEATURES

- 3 1/4" Frame Depth
- 3/4" Warm-Edge Insulated Glass (1" for blinds)
- Replicates the Look of a Wood Window
- Integrated Cellular Insulation
- Constant Force Balances
- 5/8" Integrated J-channel (fits most siding types)



9600 Onyx™ Black Ext. / Onyx™ Black Int. with Farmhouse Grid



Tilts In
for Easy
Cleaning



Limited
Lifetime
Warranty




Energy
Efficient
Product



Full or Half
Fiberglass
Mesh Screen

Without Nail Fin



9600
Replacement

With Nail Fin



9900
New Construction

Hardware




Optional Feature



Blinds Between
the Glass

Thermal Efficiency



Integrated Cellular Insulation

Air Performance



Dual Seal + Interlock




Finned Pile
Weather Stripping

Construction



Joined Corners for
Secure Sash Joints

9600/9900 - Unmatched Safety & Security



1 Lock & Tilt

Combines both locking & tilting features into one mechanism which makes for enhanced aesthetics.

2 4-Point Lock Deadbolt System

Combines two concealed, interconnected dual cam-action locks with two deadbolt locks, providing maximum security against forced entry.

3 Window Opening Control Device

The WOCD safety feature limits the bottom sash from opening more than four inches.



Top Vent Security

A unique feature that allows you to leave your home with your window open with peace of mind, knowing your house is still secure.

When engaged, the top sash will only lower four inches. With the hidden deadbolt lock feature you can now lock your window & your bottom sash will be secure, while your top sash is vented.



Scan to watch



9600 Operation Guide



WINDOW OPTIONS

NOTE: These lists of features are not comprehensive. Contact customer service for additional questions about product features.

		1800	3800	3900	5800	5900	6000	7400	9600	9900
Standard Features	3/4" Insulated Glass	●	●	●	●	●	●	●	●	●
	Integrated Nail Fin / J-channel		●	●	●	●	●			●
	Block & Tackle Balances	●	●	●	●	●				
	Concealed Stainless Steel Constant Force Balances							●	●	●
	Water-repelling Sloped Sill	●	●	●	●	●		●	●	●
	DP-50/PG-50 - 36"x60"*	●	●	●	●	●	●	●		
	Brickmould Exterior Frame			●		●	● [†]			
	Flat Exterior Frame	●	●		●					
	Beveled Exterior Frame							●	●	●
Optional Features	LowE & Argon (All Types)	●	●	●	●	●	●	●	●	●
	WOCD	●	●	●	●	●	●	●	●	●
	Custodial Tilt Latch	●	●	●						
	Sash Limiter	●	●	●			●			
	Night Locks	●	●	●	●	●		●		
	Structural Mulls	●	●	●	●	●	●	●		
	Primed Extension Jamb		●	●	●	●	●	●		
	Drywall Pass-through	●	●	●						
	Blinds Between the Glass (1" IG)						●		●	●
Available Window Types	 Twin		●	●	●	●	●	●	●	●
	 Triple		●	●	●	●	●	●	●	●
	 Picture	●	●	●	●	●	●	●	●	●
	 Slider	●	●	●	●	●		●	●	●
	 Shapes		●	●	●	●	●			
	 Awning						●			
	 Hopper							●		


Grid Types

Widths:


Flat 5/8"*** or 13/16"

Dimensional 3/4"


SDL 7/8" (Standard)



Flat



Dimensional



SDL

*Any product greater than 36x60" will be subject to a different rating. Larger sizes may need additional reinforcement to meet DP-50/PG-50

**Only available option on 1800 Series

[†]Modified Brickmould Frame

WINDOW OPTIONS




Grid Patterns



No Grid



Farmhouse



Colonial



French



Prairie



Diamond

Our Vinyl



Brilliance™ vinyl products by United are made from a specially formulated pure cloud white vinyl, shined to a radiant semi-gloss finish.



United Window & Door utilizes a black acrylic coextrusion process in which our black colored acrylic material is molecularly bonded together with our specially formulated white vinyl material as it is being formed, resulting in the most permanent bond in vinyl windows to date.

Blinds Between the Glass*



White



Black



Satin Gray



Beige

*Blinds available on 6000 & 9600 window series only

WINDOW COLORS



Color Combinations Exterior / Interior

			1800	3800	3900	5800	5900	6000	7400	9600	9900
Solid Vinyl		Brilliance™ White / White	●	●	●	●	●	●	●	●	●
		Solid Beige Beige / Beige		●	●		●	●	●		
Acrylic Coextrusion		Onyx™ / Brilliance™ Black / White		●	●	●	●	●	●	●	●
		Onyx™ Black / Black			●		●	●		●	●
		Bronze / White Brilliance™			●		●	●	●		
Paint		Gray / White Brilliance™		●	●	●	●	●	●		
		Clay / White Brilliance™		●	●	●	●	●	●		
		Sable / White Brilliance™		●	●	●	●	●	●		
		Anthracite Grey / White Brilliance™		●	●	●	●	●	●		
		Green / White Brilliance™		●	●	●	●	●	●		
		Brick Red / White Brilliance™		●	●	●	●	●	●		
		Bronze / White Brilliance™		●	●	●	●	●	●		
		United Beige / White Brilliance™		●	●	●	●	●	●		

Due to printing limitations, actual product colors may differ slightly from colors shown.

4500

HEAVY-DUTY SLIDING PATIO DOOR

See Page 13 for
Colors & More Options

NEW CONSTRUCTION




Interior

Configurations



2-Panel



3-Panel



2-Panel w/Transom



3-Panel w/Transom

Blinds Between the Glass* (optional)



White



Black



Satin Gray



Beige

*Blinds only available on 6'8" height doors

FEATURES

- 5 1/16" Frame Depth
- Multi-chambered Frame Design Adds Strength & Thermal Efficiency
- Reinforced Sash Panels
- Fusion Welded Heavy-duty Vinyl
- Stainless Steel Ball Bearing Rollers
- Integrated Nail Fin
- Standard Heights: 6' 8" or 8'
- Standard Widths: 5', 6' or 9'
- Custom Sizes Available



1-Point
Mortise
Lock



Limited
Lifetime
Warranty



Energy
Efficient
Product



Fiberglass
Mesh
Screen



4500 3-Panel Sliding Patio Door White Ext. / White Int.

4700

KNOCK DOWN (KD) SLIDING PATIO DOOR

See Page 13 for
Colors & More Options



Interior

FEATURES

- 5 7/8" Frame Depth
- Ready to Assemble ("Knock Down")
- Each Component Weighs Less Than 80 lbs
- Easy Glide Steel Track with Stainless Steel Ball Bearings
- Patent Pending, Guide Pin Assembly System
- Pre-Applied Gasket; Door Stays Watertight
- Add-on Nail Fin
- Standard Heights: 6' 8" or 8'
- Standard Widths: 5', 6', 10', 12', or 16'
- Custom Sizes Available



Multi-point
Mortise
Lock



Limited
Lifetime
Warranty



Energy
Efficient
Product




Fiberglass
Mesh
Screen

Configurations



2-Panel



4-Panel

Blinds Between the Glass* (optional)



White



Black

*Blinds only
available on
6'8" height
doors



Guide Pin Assembly
System



Correctly Aligned
Every Time

4700

KNOCK DOWN (KD) SLIDING PATIO QUAD DOOR



4700 Quad Door 10'x 8' Onyx™ Black Ext. / Onyx™ Black Int.

FEATURES

- 4 Panel Door, 10', 12' or 16' wide, 6'8" or 8' tall
- Ships Ready to Assemble ("Knock Down")
- Patent-Pending Guide Pin Assembly System
- Easy Glide Steel Track w/ Stainless Steel Ball Bearings
- Pre-Applied Gasket; Door Stays Watertight
- 5 7/8" Frame Depth



BLINDS BETWEEN THE GLASS

(Optional on doors 6'8" tall only)

- Provides Privacy, Allows Light In
- Kid Safe, No Dangling Cords
- Blinds Stay Clean Inside the Glass
- Self Leveling, Blinds Raise & Lower Easily



Multi-point
Mortise
Lock



Limited
Lifetime
Warranty



Energy
Efficient
Product



Fiberglass
Mesh
Screen

DOOR OPTIONS



Standard Features

	4500	4700
Left or Right Handed	●	●
Stainless Steel Ball Bearings	●	●
DP-50/PG-50 - 72"x80"*	●	
LowE & Argon (All Types)	●	●
1" Insulated Glass	●	●

Optional Features

Primed Extension Jamb	●	
Blinds Between the Glass	●	●
Keyed Entry Handle-set	●	●
Multi-point Lock	●	●

Handles

More Options Available



White



Brushed Nickel



Black

Blinds Between the Glass



White



Black




Satin Gray



Beige

Not Available on 4700

Grid Types



Flat
5/8" or
13/16"



Dimensional
3/4"

Grid Patterns



No Grid



Colonial



French



Prairie

DOOR COLORS



Our Vinyl



Brilliance™ vinyl products by United are made from a specially formulated pure cloud white vinyl, shined to a radiant semi-gloss finish.



United Window & Door utilizes a black acrylic coextrusion process in which our black colored acrylic material is molecularly bonded together with our specially formulated white vinyl material as it is being formed, resulting in the most permanent bond in vinyl windows to date.

Color Combinations Exterior / Interior

			4500	4700
Solid Vinyl		Brilliance™ White / White	●	●
		Solid Beige Beige / Beige	●	
Acrylic Coextrusion		Onyx™ / Brilliance™ Black / White	●	●
		Onyx™ Black / Black	●	●
		Bronze / White Brilliance™	●	
Paint		Gray / White Brilliance™	●	
		Clay / White Brilliance™	●	
		Sable / White Brilliance™	●	
		Anthracite Grey / White Brilliance™	●	
		Green / White Brilliance™	●	
		Brick Red / White Brilliance™	●	
		Bronze / White Brilliance™	●	
		United Beige / White Brilliance™	●	

*Any product greater than 72x80" will be subject to a different rating. Larger sizes may need additional reinforcement to meet DP-50/PG-50
Due to printing limitations, actual product colors may differ slightly from colors shown.




PATIO DOOR HANDING

2 Panel



Left Operating


Operating / Stationary
XO



Right Operating


Stationary / Operating
OX

3 Panel



Left Operating


Left Stationary / Operating / Right Stationary
OXO-L



Right Operating

Left Stationary / Operating / Right Stationary
OXO-R

4 Panel



Center Operating

Left Stationary / Primary Operating / Operating / Right Stationary
OXXO

Outside Looking In

For the purpose of ordering, all United patio doors must now be described as OSLI which means from the "Outside Looking In" (industry standard).

When choosing the "handing" of your patio door (which panel operates and which is stationary) it must be described as it appears from the exterior of the home.



GARDEN WINDOW

REPLACEMENT



FEATURES

- Slim Frame Design
- Multi-point Locking System
- Optional Built-in Shelf
- Dual Weather Stripping
- Sloped Top Lite with Tempered Glass
- Operational or Stationary Side Casements



Limited Lifetime
Warranty
(Window Units)



Energy
Efficient
Product



BAY WINDOWS



FEATURES


- Bay Window Units Come Fully Assembled from the Factory
- Bay Windows can be Mullied into Three-lite Configurations at 30° or 45°
- Available in Double Hung, Casement or Picture Combinations
- Integrated Weeped Panning System with Interior/Exterior Sloped Sill
- Head, Seat & Mullions are Held Together in a Unique Clamped Force Connection



Limited Lifetime
Warranty
(Window Units)




Energy
Efficient
Product



Bay Window
Mullion


Solid LSL
Steel Rod
Hollow Vinyl-clad




Head

Seat

30°



45°



REPLACEMENT

BOW WINDOWS



FEATURES

- Multi-lite Bow Windows Create a Dynamic View
- Bow Windows can be Mullied with 3 or More Lites at 10°
- Available in Double Hung, Casement or Picture Combinations



Limited Lifetime
Warranty
(Window Units)



Energy
Efficient
Product



3 Lite



4 Lite



5 Lite




REPLACEMENT




ENERGY EFFICIENT GLASS



ENERGY STAR® for Windows, Doors, and Skylights
CLIMATE ZONE MAP



Low-E, or low emissivity energy-efficient windows, have a thin transparent coating that reflects heat and UV light keeping the temperature in your home comfortable. Our double pane windows contain Low-E coatings in various configurations; optimized for your designated climate zone. Optional, heavier-than-air **argon gas** must also be included to meet energy requirements.



UNDERSTANDING THE NFRC LABEL




U-Factor (UF)

A rating based on how much heat is allowed to transfer through the product. The lower the U-factor, the less heat transfer occurs through a product. U-factor is particularly important during the winter heating season in colder climates.



Solar Heat Gain Coefficient (SHGC)

A rating based on how much heat from the sun is blocked. The lower the SHGC, the more a product is blocking solar heat gain. Blocking solar heat gain is particularly important during the summer cooling season in hot Southern climates. By contrast, people in Northern climates may want solar heat gain during the cold winter months to lessen the cost of heating the home.



Visible Light Transmission (VLT)

A rating based on how much visible light comes through a product. The higher the VLT, the higher the potential for day lighting.



Air Leakage

A rating based on how much air will enter a room through the product. Lower number, the lower the potential for a draft.



QUALITY

SERVICE



Four generations of innovation and expertise go into every window and door manufactured by United. Matched with some of the best warranties in the industry, you can be sure you are getting a quality product that lasts.

INNOVATION



© 2026 United Window & Door

24 Fadem Road
Springfield, NJ 07081
Office (800) 848-4550
Fax (973) 912-8866
unitedwindowmfg.com
013026v2